	As required in the tender we shall offer the chiller for factory testing at AHRI certified test lab with AHRI standards & tolerances, over there we can simulate the design conditions.			
It is acceptable	Acceptance of the chiller based on site test shall not be applicable because the efficiency & capacity of chiller as per the submitted data sheet is based on the design condition we have received however since the site conditions are constantly varying and there is no control on those conditions the result shall be varying all the time.	iy/performance test at full load and PL will stimulate the designed	12	ь
		Tender Document - Compressor Page 62		
It is acceptable	Acceptance of the chiller based on site test shall not be applicable because the efficiency & capacity of chiller as per the submitted data sheet is based on the design condition we have received however since the site conditions are constantly varying and there is no control on those conditions the result shall be varying all the time.  As required in the tender we shall offer the chiller for factory testing at AHRI certified test lab with AHRI standards & tolerances, over there we can simulate the design conditions.	I lender Document - Compressor Page 61  2.11.3 Prepare test report indicating test procedures, instrumentation, test conditions and results. Before shipment of chiller, all records (test certificates) and certifications approving testing requirements shall be submitted to and approved by KAPL. Mere approval by KAPL before shipment shall not be construed as acceptance. Acceptance is subjected to performance of the chiller in final acceptance test (FAT) that will be carried at our site	11	
It is acceptable	IP 54 not applicable for TERC ( Totally enclosed refrigerant cooled) motor	tender Document - Compressor Page 56 2.4 Compressor Drive Motor: Compressor motor shall be of IPS4 enclosure compatible squirrel cage induction type	10	
As per manufacturers design standards	Request to consider atleast 0.028" tube thickness because the tubes for condenser needs to be cleaned on regular interval hence better tube thickness	Condenser tube thickness - vendor to clarify	0	-
OEM make is preferred but if OEM does not have his own compressor third party compressor can be used but the compressor make and the technical	Whether own make compressor to be considered or 3rd party compressor is acceptable.	Technical Data Sheet = 20 compressor Make / Type	00	
TEFC and TERC both are acceptable.  40% is acceptable. Anti-Surge protection to be provided for lower loads.		Inverted Duty, VFD Driven, IE-3, 2 Pole, TEFC, IP54, Flange Mounted.  Tender Document-2.15.1.8 Page 63  Performance at varying capacities with constant design condenser fluid temperature includes load test report at 25%,50%,75% and 100% conducted at factory and power consumption report KW/TR at varied load conditions (below 40% with ARI relief)	7	
Posterior de la france.	unit mounted VFD is required.  Also while factory testing the chiller with same VFD to be tested which is to be	Technical Data Sheet & BOQ VPD Driven Centrifugal Chiller	, a	
Marine water boxes with hinge door arrangement required for condensor and evaporator.  Factory fitted VFD is preferred.	we ofter bolted design dish end for the easy opening of the same, kindly confirm to consider bolted design also.  VPD is required on the chiller, Kindly confirm whether free standings of the same, kindly confirm whether free standings of the same is the child.	Technical Data Sheet & BOQ VFD Driven Centrifugal Chiller	4.	, ,
Quote to be submitted as per KAPL Tender specifications.	the refrigerant KL3-4a is going to be phased out, kindly confirm the acceptance of the refrigerant.  Marine water box is required in the tender	Netrogerant - K134a / R514 / 1234 ze/Equivalent BOQ Marine water box - Required - vendor to confirm	ω	
Quote to be submitted as per KAPL Clarifications.	Queries Raised  Tender requirement of efficiency is 0.6 kw/TR.  If someone provides better efficiency, is there any premium provided to the supplier as comapred to less efficient chillers?	Efficiency Less than 0.60 - Vendor to confirm  BOQ	1 EQY Dt. 22.03.2023	
Tender Ref no: KAPL/BDP/CG/3252		Bid Document Ref. No.	St. No. Company Name M/s AnilKumar Pant	
Pre-Bid Queries Dt. 24.03.2023	Chiller		NOTE: This Prebid Queries	
ን የ	7ACA Pro	BULK	100	
	BIOTICS AND PHARMACEUTICALS I IMITED	KARNATAKA ANTIBIOTICS	(a) (j)	

18	17	10	15	14	13	SI. No.		
					,	Company Name	NOTE: This Prebid Queries	
A sum equivalent to 0.5% (Zero point five percent) of the work value per week of delay or part thereof on delayed supply of goods and or services until actual delivery or performance subject to a maximum of 5% (Five percent) of the contract price	The supplier shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to the purchaser for Supply - 100% LC at sight for Services - Against Services.	incurred until delivery of the contracted goods to the purchaser's destination.	portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by the Purchaser/Consigne in terms of the contract, unless specified otherwise in the SCC Considerability.	. Certificate of country of origin by the bidder from abroad. (Chamber of commerce).  This warranty shall remain valid for 1 (One) wears after the cook.	Earnest money furnished in accordance with GIT clause 17.1 alternatively, documentary evidence as per GIT clause 17.2 for claiming exemption from payment of earnest money.	Bid Document Ref. No.	NOTE: This Prebid Queries is part of the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the tender document and this supercode the desired to the desired	KARNATAKA ANTIB
Windly consider as:  0.5% per week upto maximum of 5% for the undelivered material.  •For the purposes of this contract, "Force Majeure" includes, but is not limited to, any event that is beyond the control of the affected party, and cannot be storm, explosions, earthquakes, pandemics, epidemics, plagues, etc.), government actions and/or orders whether valid or invalid (such as lockdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, closures etc.) social disruptions (such as wars, riots, rebellions, lookdowns, riots, rebellions, loo	Kindly consider the payment term as:  r for Supply - 100% LC at sight  For Services - Against Services within 7 days	Does any duty exemption applicable to the customer?	Kindly consider the Warranty term applicable as 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier	Certificate of origin is available on Company's letter head, as for the Chamber of commerce the documentation part is very time consuming, which might result into delay in custom clearance and hence detention & demurrage.  Moreover since there is no duty benefit from the country of origin the chamber of commerce document is not required at the Indian port.	Kindly accept to not consider EMD for the supply of chillers	Queries Raised	hiller	KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS LIMITED BULK DRUG - 7ACA Project
There is no change in this condition	Refer annexure 3 and no change	There is no duty exemption to the customer	Warranty term applicable will be 18 months from the date of supply or 12 months from the date of commissioning whichever is earlier. This shall be superceding in Page-95 Sr. No. 13 (Defect Liability Period).	r Letter head	KAPL Clarifications  Not acceptable	MATL/BDP/CG/3250	Pre-Bid Queries Dt. 24.03.2023	<b>Q</b> -

work is excitated from suppliers scope of work	Exclusion: Unloading of chiller at site, any type of civil work, any type of electrical work, any type of lowside work like piping, ducting, etc.		
Only Civil works, electrical cable work upto control panel shall be done by KAPL and the remaining scope of work is in part of the suppliers scope. Piping and ducting work is excluded from the suppliers scope.	supply of local components like Refrigerant, insulation at site, And commissioning of chiller.		
	Manufacturing of chiller at factory, FAT of chiller at factory, Supply of chiller till Nhava Sheva port, port clearance & local transportation till site,	Tender Document - Scope of work Page 51 - SCC	26
o be provided by the supplier.	Our understanding of scope of the supplier ;		
All Chillers testing shall be witnessed by KAPL/DCPL. 4 persons shall be deputed from KAPL/DCPL, whereas the travel charges shall be bourn by KAPL. The hoarding and to define the travel charges shall be bourn by	PI suggest number of chillers to be tested at the factory.	1	
Not Applicable	Notapplicable		3.
[gnored	Not applicable	all prior sanctions from all the Competent Local Authorities before he takes up the work. If, as a result of his failure to do so, in spite of the works having been carried out as per the drawings and instruction issued by the Consultant and Consultant, Purchaser, and/or in the presence of the representative(s) of the so directed, dismantie and reconstruct at his own cost the work/item(s) of work as per such directions. No claims in this regard will be entertained  41. The Supplier shall also include in his quoted rate barricading. I fear that of	23
In responsibility of the supplier	Safety of the material delivered at site shall be the responsibility of the site team.	this own responsibility till the final taking over by the Purchaser. He should therefore employ sufficient staff for watch and ward at his own expenses.  36. He shall also be responsible to ensure that the work is carried out.	
The Supplier shall be responsible for the maintenance of all the work	Notapplicable	fully responsible for the maintenance of all the work till the entire work covered by the Supplier is satisfactorily completed and handed over to the Purchaser  35. Safe custody of all materials and products covaling to the	22
This is acceptable	chiller as an entirety is available after the chiller is tested at factory after manufacturing	34. During progress of the work, completed portion of the building may be occupied and put to use by the Purchaser. The Supplies that it is a progress of the work to make the purchaser of the supplies the purchaser.	21
		Successful bidder shall submit the all-material test certificate before	20
d). LD clause will be as per the tender terms only.	•For the purposes of this contract to, any event that is beyond the coavoided or overcome with reason storm, explosions, earthquakes, p government actions and/or order lockdowns, closures etc.) social dilabor disputes, strikes, lockouts, a force Majeure event affected party such event and neither party shall to perform the contract has to the	Over all completion time shall be as mentioned in the Schedule of Fiscal Aspect. The Liquidated Damages (LD) shall be levied at the rate of 0.5% per week maximum being 5% of Total Contract Value, if the work is delayed beyond the stipulated completion time	19
	0.5% per week upto maximum of 5% for the undelivered material.		
KAPL Clarifications	Kindly consider as:		
	Queries Baker	Bid Document Ref. No.	
Tender Ref no: KAPL/BDP/CG/3252		he clauses of Tender	St. No. Company Name
Pre-Bid Queries Dt. 24.03.	Chiller		NOTE: This Prebid Queric
	BULK DRUG - 7ACA Project	BULK	1000
		KADNIATIATA ANTTI	3 3 3

## 獨

## KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS LIMITED BULK DRUG - 7ACA Project

	33	32	31	30	29	28	27	SI. No			,
					1		M/s KIRLOSKAR CHILLERS PRIVATE LIMITED EQY Dt: 23.03.2023		NOTE: This Prebid Queries is		6
- in action of the	SECTION - VI  SPECIAL CONDITIONS OF CONTRACT (SCC)/15. ESCALATION  The rates of Supplier shall remain fixed till the completion and NO price variation on account of any increase in taxes, duties or any other reason, whatsoever, shall be payable. It is clarified that No escalation clause is applitable for this contract.	SECTION – VI  SPECIAL CONDITIONS OF CONTRACT (SCC)/7. WATER AND ELECTRICITY FOR CONSTRUCTIONS  The electricity, if available at site will be provided to the Supplier at a single point free of cost. The Supplier shall pay the Purchaser at the prices stated. The quantities consumed shall be determined by the Purchaser, who shall include the amounts due as deductions in Interim and final payment certificates. The Supplier shall, at his risk and cost, provide any apparatus necessary for such determination and for his use of these services. The Supplier should make his own arrangements for the providing back up power supply (like D.G sets of required capacity) during the work.	SECTION – VI SPECIAL CONDITIONS OF CONTRACT (SCC)/2. COMPLETION TIME & LIQUIDATED DAMAGES Over all completion time shall be as mentioned in the Schedule of Fiscal Aspect	SECTION - V  GENERAL CONDITIONS OF CONTRACT (GCC)/18. Modification of contract 18.1. If necessary, the purchasor may, by a written order given to the supplier at any time during the currency of the contract, amend the contract by making alturations and modifications within the general scope of contract in any one or more of the following:  a) Specifications, drawings, designs etc. where goods to be supplied under the contract are to be specially manufactured for the purchaser.	SECTION - V  GENERAL CONDITIONS OF CONTRACT (GCC)/15. Warranty 15.2 This warranty shall remain valid for 1 (One) years after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by the Purchaser/Consignee in terms of the contract unless specified otherwise in the SCC.	SECTION – V  GENERAL CONDITIONS OF CONTRACT (GCC)/13. Incidental services 13.1 / • Providing required jigs and tools for assembly, minor civil works required for the completion of the installation.	SECTION - V  GENERAL CONDITIONS OF CONTRACT (GCG)/ 7, Packing and Marking 7.1 / The packing for the goods to be provided by the supplier should be strong and durable enough to withstand, without limitation, the entire journey during transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract	Big Thomas D.E.N.	NOTE: This Prebid Queries is part of the tender document and this supercodes the december of	Centrifugal Water Cooled Chiller	VACA
	Present GST is 18%, any variation shall be applicable. Any other new taxes/duties if imposed shall be applicable.	Electricity as and when required shall be provided by KAPL. Any back up power supply like DG sets if required shall be provided by KAPL.	Delivery Period is not mentioned. Please provide the same.	Since this is a tendered item, changes post tender submission shall not be applicable.	There should an interlock for warranty period I,e 12 Months from the date of commissioning OR 18 Months from the date of supply whichever is earlier.	All Civil works should in KAPL scope.	Queries Raised Packing as per OEM standards should be acceptable. Normally Chillers covered with Tarpaulin Covers, which is adequate for transportation and storage.			II>-	DNOG - /ACA Project
	It is Acceptable	For comissioning KAPL shall provide the electrical supply free of cost. During construction if power is required it will be provided on chargeable basis.	Delivery period is 8 months from the date of PO/LOI.	No. Changes post tender shall not be accepted after opening of the price bid.	The warrenty period will be valid for 12 months from the date of comissioning or 18 months from the date of supply which ever is later.	It is acceptable	WAPL Clarifications  It is acceptable, however delivery of the material, unloading, erection and comissioning shall be responsibility of the vendor. The intactness of the machinary is the responsibility of the vendor if any damages the repairing cost shall be borne by the vendor.	100/3/25 / 100/ 100/ 100/ 100/ 100/ 100/ 100/ 1	Tender Ref no: KAPI /RDB /CC /2210	Pre-Bid Queries Dt. 24.03.2023	

42	41	40	39	38	37	ω 6	35	34	SI No.		172		
									1.000	NOTE: This Prebid Oueries		250	
SECTION VII SCOPE OF WORK/SECTION - VIII/ 2.10 Noise and vibration requirements 2.10.4 Flexible pipe connectors (otherwise called as flexible rubber expansion joints) shall be installed at both inlet and outlet connections of chiller and condenser/Evaporator, to prevent vibration transmission from the unit to the piping.	General: Bidders are requested to make sure that they should attach the list of equipments for carrying out routine and preventive maintenance wherever asked for and should make sure that Electrical Safety Analyser / Tester for Process equipments to periodically check the electrical safety aspects as per BIS Safety Standards IS-13540 which is also equivalent to IEC electrical safety Standard IEC-60601 is a part of the equipments, if the Electrical safety Analyser/Tester is not available they should provide a commitment to get the equipments checked for electrical safety compliance with Electronic Regional Test Labs / Electronics Test and Development Centres across the country during warranty period.	Spare required for two years 's continuous trouble-free operation and maintenance of the equipment     Spare required for two years 's continuous trouble-free operation and maintenance of the equipment     Starting WI (CODE OF WORK)	Marine box to be provide at evaporator & condenser for easy cleaning of the rubes without disturbing piping connections.	Integration of chiller unit with BAS system for operation & monitoring is under Supplier's scope  Supp	SECTION VII SCOPE OF WORK/1. Scope of Vendor 415 V. 3ph.50 Hz drive motors with necessary auxiliaries but excluding motor starters and main cable up to motor starters and main cable up to motor	SPECIAL CONDITIONS OF CONTRACT (SCC)/47. Advance Bank Guarantee SPECIAL CONDITIONS OF CONTRACT (SCC)/47. Advance Bank Guarantee The validity of the Bank guarantee shall be entire duration of the project and to be extended on the request of KAPL or until the advances are recovered	SPECIAL CONDITIONS OF CONTRACT (SCC)/  42. Electricity, if available at site will be provided to the Supplier at a single point free of cost. The Supplier should make his own arrangements for the providing back up power supply (like D.G sets of required capacity) during the work.	DITIONS OF CO RTIFICATE ul bidder shall s	Bid Document Ref. No.	NOTE: This Prebid Queries is part of the tender document and this prebid Queries is part of the tender document and the tender document a		KAKNA I AKA ANTIBIOTICS AND PHARM.  BULK DRUG - 7ACA Project	יייין אין אין אין אין אין אין אין אין אי
Flexible rubber bellows shall be supplied loose by us and same has to be installed by the respective piping vendor, as it is a pipeline fitting.	Please clarify the requirement, normally such tests are not carried out for chiller panels.	Should we provide the spares list seperately	Normally only Condenser tubes are prone for scale formation / cleaning. Do we Marine water boxes with hinge door arrangement required for condensor and evaporator.	Necessary provision for BAS integration shall be provided in the Chiller Panel and mapping address shall be provided. Further integration shall be in KAPL scope.	Please clarify on scope of starter for chiller.	Advance Bank Guarantee shall be valid till delivery period. And other payment terms to be cleared	Electricity as and when required shall be provided by KAPL. Any back up power supply like DG sets if required shall be provided by KAPL.	Chiller GAD, TDS. Wiring diagram shall be submitted post order for approval and shall be manufactured accordingly. Related test certificates shall be provided at the time of supply.		Chiller		BULK DRUG - 7ACA Project	
It is acceptable	It is acceptable	Yes, Separate list of spares to be provided in the price bid along with prices of the items (as a optional)	e Marine water boxes with hinge door arrangement required for condensor and evaporator.	Further Integration shall be in KAPL scope	In vendor Scope	t A. Performance Security/Security Deposite]. Within thirty (30) days from date of the issue of notification of award by the Purchaser/Consignee, the supplier, shall furnish performance security to the Purchaser/Consignee for an amount equal to ten percent (10%) of the total value of the contract, valid up to sixty (60) days beyond the date of successful commissioning and B. Annesure-III. Sl.No-4.1: ABG(Advance Bank Guarantee) 15 % advance against ABG will be valid till vendor delivers the goods at KAPL site and to be extended on the request of KAPL.  C. Performance Bank Gurantee(PBG): Release of final 10% payment shall be made against submission of 10% PBG valid for 1 year from the date of comissioning and successful handing over to KAPL.	For comissioning KAPL shall provide the electrical supply free of cost. During construction if power is required it will be provided on chargeable basis. Any backup power like DG will not be provided during construction or erection stage by KAPL.	It is acceptable KAPL Clarifications	100/02/	Tender Ref no: KAPI/RDP/CC/225	Dro Did Ownie Dr Groot		

Conta ....

BILLX DRUG — TACA Project  For Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Provided Quarteries Div. 2 AGASA 2025  For Part Part Part Part Part Part Part Par	W.O.	KARNATAKA ANTIBIOTICS AND PHARM	IOTICS AND PHARMACEUTICALS LIMITED	
Company Name  Co	77.6	BULK	7ACA Project	
Commany Name   Comm			hiller	Pre-Bid Queries Dt. 24.03.2023
Company Name   SECTION WILL SCORE OF WORK, SECTION WILL		- 11		Tender Ref no: KAPL/BDP/CG/325
SECTION - A TROUGH MANUAL CONTRACTORY  SECTION - A TROUGH	_	Bid Document Ref. No. SECTION VII SCOPE OF WORK SECTION VIII 12 14 W.	Queries Raised	KADI (Harifications
SECTION X TROUGH ROBM  MATE For Under claim of term to be enclosed with Period Bid & Section XII  SECTION XIII DUPIES IN CONTROLOGY	43	SECTION VII SCOPE OF WORK/SECTION —VIII/2.16 Warranty 2.16.2 Warranty period: One year from the date of FAC	There should an interlock for warranty period J.e 12 Months from the date of commissioning OR 18 Months from the date of supply whichever is earlier.	The warrenty period will be valid for 12 months from the date of comissioning or 18 months from the date of supply which ever is later.
SECTION ALT RIGIES CREDILE.  Notes:  Notes: A predict Stord consider all accounts pions:  Notes: A predict Stord considered in order fee as precedibed in TE document?  Notes: A predict Stord conditions of the stord pions:  Notes: A predict Stord conditions of the stord pions:  Notes: A predict Stord conditions of the stord pions:  Notes: A predict Stord condition of work.  Annexus: B in Fries: Schedule / I.  Notes: A note of the stord pions: A predict Stord condition of work.  Annexus: B in Fries: Schedule / I.  Notes: A note of the stord condition with VFD, water cooled condensors, fundabled in pions of the stord conditions pions of the stord possible to show on the stord conditions pions of the stord possible to show on the stord pions of the stord possible to show on the stord pions of the stord possible to show on the stord possible provided possible to show on the stord possible to show	4	Technical Bid	Please clarify for submission suitably	It is acceptable
BETTON YMI CHECALS. WILL GENERALS.  BETTON YMI CHECALS.  BETTON YMI C	45	Note: -  1. Vendor should consider all necessary inter connecting piping, valves, fittings		this acceptable
Antener in the control of the service of the servic		section - your checourer		
13. December   12.	46	d.Have you enclosed tender fee as prescribed in TE document?	Tender fee is not applicable, as mentioned in General Instructions of the tender; please confirm.	No tender fees is required to be paid.
Anisoure interclos Schooling of the State of Paul fail in the Ree standing as the size is while in mounted statere panel with VPD water cooled condenser, integral failing and the fire standing as the size is while in mounted statere panel with WPD water couled condenser, integral can interclosure, and page to accommodate on the unit and also from maintenance point of view. Request to accept the same.  Request to accept the same tend to remain the	47	13. Defects Liability Period: 24 months from the date of completion of work	DLP/ Warranty period is mentioned as One year from date of FAC. Also there should an interlock for warranty period from the date of commissioning OR date of supply whichever is earlier.	The warrenty period will be valid for 12 months from the date of comissioning or 18 months from the date of supply which ever is later,
Annexure-III-Price-Schedie / 1.3  Vendor must provide junction on a long with each set of unit including cable  Works from junction for a long with each set of unit including cable  Opper cable. Separate junction of Adapter box is not required.  Mys Ploneer Aircon  Str. No 211.2:  It is not possible to show the NPLV in performance test of chiller so kindly remove the earlier and the support of engine and is the support	-48	Annexure-III-Price-Schedule / I Machine mounted starrter panel with VFD, water cooled condenser, insulated chiller, flows witch chiller and condenser, vibration isolators, integral refrigerant piping and wiring, BMS interface unit (Modbus/Banat), grooved coupling for condenser and cooler water inlet and outlet connection, complete charge of refrigerentand oil.	For Centrifugal Chiller the Starter Panel shall be free standing, as the size is large to accommodate on the unit and also from maintenance point of view. Request to accept the same.	It is acceptable
Drawing-Chiller Room    Please confirm the plant room location	49	Annexure-III-Price-Schedule /1.3  Vendor must provide junction box along with each set of unit including cable works from junction box to chiller.	Chiller starter panel is compatible for termination of either Aluminium OR Copper cable. Separate Junction / Adapter box is not required.	If the chiller starter panel is compatible with aluminium cable no junction box is required and if not compatible impring how box to be provided.
Bey De 23.03.2023  Se: No 2.11.2:  It is not possible to show the NPLV in performance test of chiller so kindly remove the NPLV criteria from factory testing.  In Technical data sheet, the approved refrigerant is N3.4 / R5.14 / R1.23.4 zz. It is observed that the R5.14 refrigerant is not much popular for refrigerant is not much popular to save of leading. Hence kindly remove the same, also as per ASHAGE standard 34 classes 85.14 as a 'B1 refrigerant, meaning that it is not famnable, but it is not famnable. But it is not famnable, but it is not famnable to respect to the popular to remove the removent of the same which it is not smoothed from the date of completion of work. Please clarify.  Payment Terms:  Payment Terms:  Payment Terms:  Payment Terms:  Payment Terms:  In Technical data sheet, it is mentioned 90 data from 1 meter distance and in tender specification, it is mentioned 45 data from 1 meter distance and in tender specification, it is mentioned 45 data from 1 meter distance and in tender specification it is mentioned 45 data from 1 meter distance and in tender specification it is mentioned 45 data from 1 meter distance and in tender specification it is mentioned 45 data from 1 meter distance and in tender decument to the same with 10 meter maximum in		Drawing-Chiller Room	Please confirm the plant room location	The plant layout is attached. The location of the chillers is in the ground
In Technical data sheet, the approved refrigerant is not much popular refrigerant in India being a negative pressure refrigerant is not much popular refrigerant in India being a negative pressure refrigerant and the maintenance time is very high in date of leakage. Hence kindly remove the same. Also as per ASIRA as standard dease of leakage, Hence kindly remove the same. Also appearants of the publication it is not resonanced and the maintenance time is very high in date or which git plear to same. Also appearants of the publication is an extractive so this is not good for leaking Abundary remove the same.  Refrigerant meaning that it is not flammable, but is dissered as they in the render document somewhere mention 1.2 months from the completion certificate but in same tender file DLP mention 4.8 on the same with a same tender file DLP months from the date of majoritation in the render document benefit and pressure level from 1 meter distance and in render specification, it is mentioned 8.8 data from 1 meter distance so please affect in the render specification, it is mentioned 8.8 data from 1 meter distance so please affect in remaining that it is not mentioned in the Fender document benefit of the form 1 meter distance so please affect sound pressure level from 1 meter distance so please affect sound pressure level from 1 meter distance so please affect sound pressure level from 1 meter distance so please affect sound pressure level from 1 meter distance so please affect sound pressure level from 1 meter distance so please affect sound pressure level from 1 meter distance and in render specification, it is mentioned of completion certificates/Po of foat if WAC work whith screw completion certificates/Po of foat if WAC work level from 1 meter distance so please affect documents and the same with 10 meter distance and in the render specification of the completion in the render sound in the render specification in the render sound in the render specification of the completion of the render specification of the		St: No 2.11.2:	It is not possible to show the NPLV in performance test of chiller so kindly remove the NPLV criteria from factory testing.	NPLV testing can be performed during FAT.
Warranty clause:    In Tender document somewhere mention 12 months from the completion certificate but in same tender file DLP mention 24 months from the date of completion of work. Please clarify.    Payment Terms:   It is not mentioned in the Tender document hence kindly confirm	52	Refriserant	In Technical data sheet, the approved refrigerant is R134a / R514/R1234 ze. It is observed that the R514 refrigerant is not much popular refrigerant in India being a negative pressure refrigerant and the maintenance time is very high in case of leakage. Hence kindly remove the same. Also as per ASHRAE standard 34 classes R514A as a "B1" refrigerant, meaning that it is not flammable, but is classed as having higher toxicity so this is not good for health & being Pharma	
Payment Terms:  It is not mentioned in the Tender document hence kindly confirm  In Technical data sheet, it is mentioned 80 dba from 1 meter distance and in render specification, it is mentioned 85 dba from 1 meter distance and in render specification, it is mentioned 85 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 585 dba from 1 meter distance so please amend the same with 585 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 585 dba from 1 meter distance so please amend the same with 585 dba from 1 meter distance so please amend the same with 685 dba from 1 meter distance so please amend the same with 485 dba from 1 meter distance so please amend the same with 585 dba from 1 meter distance so please amend the same with 685 dba from 1 meter distance so please amend the same with 685 dba from 1 meter distance so please amend the same with 685 dba from 1 meter distance so please amend the same amend the same with 10 meter maximum in the same with 10 meter distance so ple	53	Warranty clause:	application it is not recommended. Kindly remove the same.  In Tender document somewhere mention 12 months from the completion certificate but in same tender file DLP mention 24 months from the date of	The warrenty period will be valid for 12 months from the date of comissioning or 18 months from the date of sunnly which ever is large
Sound Pressure Level:    Feeder specification, it is mentioned 80 dba from 1 meter distance and in tender specification, it is mentioned 85 dba from 1 meter distance and in tender specification, it is mentioned 85 dba from 1 meter distance and in tender specification, it is mentioned 85 dba from 1 meter distance and in meter distance. In Technical data sheet, it is mentioned Trane OEM rates oplease amend the same with 485 dba sound pressure level from 1 meter distance. In Technical data sheet, it is mentioned 7 rane OEM rates and in tender distance on please amend the same. In Technical data sheet, it is mentioned 85 dba from 1 meter distance and in tender distance on please amend the same with 485 dba sound pressure level from 1 meter distance and in tender with 485 dba sound pressure level from 1 meter distance and in tender of the same with 485 dba sound pressure level from 1 meter distance and in tender of chillers as only level from 1 meter distance and in tender of chiller of the same with 485 dba sound pressure level from 1 meter distance and in tender of chiller of the same with 485 dba sound pressure level from 1 meter distance and in tender of chillers as only level from 1 meter distance and in tender of chillers as well instead of similar work in that case please consider the completion certificates/PO of Similar work in that case please consider the completion certificates/PO of foral HVAC work with screw compressor chillers as well instead of similar work.  As per Manufacture Authorization Form, OEM can authorize only Dealer/Vendor to participate in Tender. We request to remove this point to increase participation in tender.  Technical Datasheet condenser Pressure Drop is limited to 2.5 meter, which is not achievable, kindly amend the same with 10 meter maximum	54	Payment Terms:	It is not mentioned in the Tender document hence kindly confirm	Tis manifored in Assessment III . C.t.
Temperature sensors:  Temperature sensors:  Temperature sensors:  In Technical data sheet, it is mentioned Trane OEM make, kindly remove the specific make of Chiller OEM. Please amend the same.  There is mentioned completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of total HVAC work is req	55	Sound Pressure Level:	In Technical data sheet, it is mentioned 80 dba from 1 meter distance and in tender specification, it is mentioned < 85 dba from 1 meter distance so please amend the same with < 85 dba sound pressure level from 1 meter distance.	Less than 85 dba from 1 meter distance
M/s Daikin Airconditioning In Qualification Criteria:  In Technology Dealer/Vendor to participate in Tender.  In Technical Datasheet condenser Pressure Drop:  In Technical Datasheet condenser Pressure Drop is limited to 2.5 meter, which is not achievable, kindly amend the same with 10 meter maximum		Temperature sensors:	In Technical data sheet, it is mentioned Trane OEM make, kindly remove the specific make of Chiller OEM. Please amend the same.	Can give any equivalent make, and to be specified in the technical bid document.
EQV Dr. 23.03.2023  SECTION XIII MANUFACTURER'S AUTHORISATION FORM (Page no. 75):  Dealer/Vendor to participate in Tender. We request to remove this point to Increase participation in tender.  Technical Datasheet - Condenser Pressure Drop:  In Technical Datasheet ondenser Pressure Drop:  In Technical Datasheet with 10 meter maximum			There is mentioned completion certificates/PO of Similar work is required. In that case please consider the completion certificates/PO of total HVAC work with screw compressor chillers as well instead of similar work.	Experience in screw compressor chillers/ HVAC is not acceptable. Centrifugal refrigeration chillers completion certificates/P0 to be furnished in the Technical bid document
Technical Datasheet - Condenser Pressure Drop:  In Technical Datasheet, condenser Pressure Drop is limited to 2.5 meter, which is not achievable, kindly amend the same with 10 meter maximum		SECTION XIII MANUFACTURER'S AUTHORISATION FORM (Page no		As per tender document
	J. A.	Technical Datasheet - Condenser Pressure Drop:	In Technical Datasheet, condenser Pressure Drop is limited to 2.5 meter, which is not achievable, kindly amend the same with 10 meter maximum	

Continue #

Centrifugal Water Cooled Chiller    Note: This Prebid Queries is part of the tender document and this supercedes the clauses of Tender   Bid Document Ref. No.   St. No.   Company Name   Technical Datasheet: LCD with Key Pad:   Technical Datasheet: LCD with Key Pad:   In approved Refrigerant there is R-514a is a Low Pressure Refrigerant there of the time of rectitying of 323 ppm approx R-514a refrigerant that is not pro en refrigerant there of the manufacturing this refrigerant taking of 323 ppm approx R-514a refrigerant there is R-514a is a Low Pressure Refrigerant taking of 325 ppm approx R-514a refrigerant taking this refrigerant taking this refrigerant taking at the source there is R-514a refrigerant taking this refrigerant taking this refrigerant taking at the source there is R-514a refrigerant taking this refrigerant taking taki	BULK D	RUG - 7ACA Project	3
Company Name  Company Name  Technical Datasheet: LCD with Key Pad:  Technical Datasheet: Approved Refrigerant R-134a, R-514a, R-12342e:  In approved Refrigerant, there is R-514a refrigerant which is classified in ASHRAE Standard 34 (Safety Group) as B1 category, which have Highly Toxicity nature with no DEL (Octopational Exposure Limit) of 323 ppm approx  R-614a is a Low Pressure Refrigerant allations using this refrigerant facing issues. Most of the manufacturers manufacturing Chillers with R-134a refrigerant Alternate refrigerant R-1234ze is also there which is classified in ACL category. In that case, please remove B1 Category refrigerant i.e. R-514a.  ACRUATE Condition and this supercedes the clauses of Tender  Queries Raised  Rindly incorporate LED Touch Screen as well.  It is acceptable.  As per tender d			Pre-Bid Oueries Dt. 24.03.2023
NOTE: This Prebid Queries is part of the tender document and this supercedes the clauses of Tender  Company Name  Declinical Datasheet- LCD with Key Pad:  Technical Datasheet- Approved Refrigerant R-134a, R-514a, R-12342e:  In approved Refrigerant, there is R-514a refrigerant which is classified in ASHRAE Standard 34 (Safety Group) as B1 category, which have Highly  Toxicity nature with on OEL (Octobational Exposure Limit) of 323 ppm approx  R-614a is a Low Pressure Refrigerant allations using this refrigerant facing issues. Most of the manufacturing Chillers with R-134a refrigerant R-1234ze is also there which is classified in A2L category. In that case, please remove B1 Category refrigerant i.e. R-514a.  ACED AS A Category in that case, please remove B1 Category refrigerant i.e. R-514a.	Centritugal Water Cooled Chi	ler	Tender Define WADI /DDD /CC /225
Company Name  Bid Document Ref. No.  Technical Datasheet- LCD with Key Pad:  Technical Datasheet- Approved Refrigerant R-134a, R-514a, R-12342e:  In approved Refrigerant, there is R-514a refrigerant which is classified in ASHRAE Standard 34 (Safety Group) as B1 category, which have Highly Toxicity nature with on DEL (Octupational Exposure Limit) of 323 ppm approx R-614a is a Low Pressure Refrigerant allations using this refrigerant facing issues. Most of the manufacturers manufacturing Chillers with R-134a refrigerant R-134ze is also there which is classified in A2L category. In that case, please remove B1 Category refrigerant i.e. R-514a.  ANH AF Conduct June 10 and 10 an	nis Prebid Queries is part of the tender document and this supercedes the clauses of Tender		remact Net 110: NAPL/BDP/CG/325a
Technical Datasheet- LCD with Key Pad:  Technical Datasheet- Approved Refrigerant R-134a, R-12342e:  Kindly incorporate LED Touch Screen as well.  Kindly incorporate LED Touch Screen as well.  In approved Refrigerant, there is R-514a refrigerant which is classified in ASHRAE Standard 34 (Safety Group) as B1 category, which have Highly Toxicity, nature with on OEL (Occupational Exposure Limit) of 323 ppm approx high. This is not pro an refrigerant lead time of rectitying defect is very high. This is not pro an refrigerant aliations using this refrigerant facing issues. Most of the manufacturing Chillers with R-134a refrigerant R-1234ze is also there which is classified in A2L category. In that case, please remove B1 Category refrigerant i.e. R-514a.	Company Name	The second secon	
Technical Datasheet- Approved Refrigerant R-134a, R-514a, R-514a, R-12342e:  In approved Refrigerant, there is R-514a refrigerant which is classified in ASHRAE Standard 34 (Safety Group) as B1 category, which have Highly Toxicity nature with on OEL (OcCupational Exposure, which have Highly High.)  Toxicity nature with on OEL (OcCupational Exposure, which have Highly High.)  R-614a is a Low Pressure Refrigerant lead time of rectitying defect is very high. This is not pro en refrigerant ladions using this refrigerant facing issues. Most of the manufacturing Chillers with R-134a refrigerant R-1234ze is also there which is classified in A2L category in that case, please remove B1 Category refrigerant i.e. R-514a.	Tooksia Databas Ion	Queries Raised	KADI Cincilination
ASHRAE Standard 34 (Safety Group) as B1 category, which have Highly Toxicity nature with on OEL (OcCupational Exposure Limit) of 323 ppm approx R-614a is a Low Pressure Refrigerant allations using this refrigerant tacing issues. Most of the manufacturers manufacturing Chillers with R-134a refrigerant Alternate refrigerant R-1234ze is also there which is classified in AZL category. In that case, please remove B1 (ategory refrigerant i.e. R-514a. AAHDAR Scandard 344 Coste is not provided in the control of the con		lindly incorporate LED Touch Screen as well.	
ACHDAR Constant of the second		n approved Refrigerant, there is R-514a refrigerant which is classified in ISHRAE Standard 34 (Safety Group) as B1 category, which have Highly Toxicity nature with on OEL (OcCupational Exposure Limit) of 323 ppm approx 2-614a is a Low Pressure Refrigerant, lead time of rectitying defect is very high. This is not pro en refrigerant allations using this refrigerant facing scues. Most of the manufacturers manufacturing Chillers with R-134a efficients at themse acforders.	As per tender document
		I Ch	I Chi

Kirloskar Daikin Air Conditioners Climaveneta Sormnath Datta (AGM - Bulk Drug Project) Trane Technologies - Bangalore Bu Kannaen (Cad-Technical Bulk Project) Yeshwanth Rao (E - Mircobiology) Goutam SVS
(AM - QA)

[agadish Chinetyzshekar
(DGM - Fidance) List of Vendor present for Pre-Bid Queries Jagadish Suraj litendra and Vikram Anii kumar Pant N C Mahesha (DGM-FD) Kanak Banot (SM - Purchase)

B Ramesh (AGM - Finance)

K P Rajan KAPL -Consultant

DCPL KAPL - Consultant