



KAPL, BANGALORE

Corrigendum 1 – Qualification Criteria

Karnataka Antibiotics & Pharmaceuticals Ltd., (KAPL) Bangalore (Government of India Enterprise) has made the following amendment to the Bidding Document Steam Boiler (KAPL/BDP/CG/3250) for our Bulk Drug (API) project at Plot no 103, 104 & 110 to 116, Vikram Udyogpuri Limited, Narwar, Near Ujjain, Madhya Pradesh.

1. Section IX Qualification criteria Point no 3 shall be read as The vendor should have done supply, installation, testing and commissioning of 12 TPH Boiler – 3 nos complying with IBR standard during the last 5 years as on 31st March of previous year.

a. Three (3) similar works / capacity and quantity boilers with minimum value of Rs. 360.00 Lakhs each
OR

b. Two (2) similar works / capacity and quantity with minimum value of Rs. 450.00 Lakhs each
OR

c. One (1) similar / Works capacity and quantity with minimum value of Rs. 720.00 Lakhs

Similar works means supplying, installation, testing and commissioning of 12 TPH Boiler (Dual Fuel) for reputed organization

All other Terms and conditions of the Tender Specification shall remain unaltered unless expressly amended by KAPL in writing.

Bidders are requested to submit as a part of Technical Bid, a copy of this corrigendum duly countersigned by the authorized signatory and stamped with the Official seal as a token of Bidder's unqualified acceptance of this corrigendum.

Please refer corrigendum on our website www.kaplindia.com for more details

M(HB)

Am(SK)