



**KARNATAKA ANTIBIOTICS &
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF. No.	KAPL/CG/011/0941
DATE	01/09/2025
DUE DATE	02/09/2025(13.00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	TUT1217	FULLY AUTOMATIC HAND DRYER 1700W,220V,2800RPM	NOS	03

- 1) Please ensure that your offer reaches us on or before Due Date by courier OR speed post Or you can also mail us to our email: puren@kaplindia.com
- 2) Website: www.tenderwizard.com/KAPL
- 3) Please send your quotation mentioning item code

OTHER TERMS:

1. F.O.R TERMS	: DOOR DELIVERY FOR PEENYA FACTORY
2. GST %	: PLEASE SPECIFY
3. PACKING & FORWARDING CHARGES	: NOT APPLICABLE
4. CREDIT PERIOD	: 30 DAYS
5. DELIVERY OFFERED	:
6. ATTACHED PAGES	: 02

NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.

Thanking you,

Yours faithfully,
For KARNATAKA ANTIBIOTICS
& PHARMACEUTICALS LIMITED


YUVARAJA M

DEPUTY MANAGER PURCHASE DEPT

V-Urgent



ENGINEERING AND PROJECT DEPARTMENT

MATERIAL REQUISITION

Date : 14/8/25

To,

Engg. Stores

Through : HOD - E&P

Machine Name and Details : Hand dryer ✓

Sl. No. 584

Section : DPPI charge room

Following are the details :

Sl. No.	Item Code No.	Item Description	UOM	Qty.	Required Date	P.R. No. & Date	Remarks
1)	TUT 1917	NOVATECH Hand dryer, twin blower integrated with timer cum infrared sensing system. Fully automatic NT 800. 220V, 50HZ, 1ph, 1700W, 2800Rpm	nos	3			This item Required for DPPI Charge Room

Jet Hand Dryer | Model: NT800

Specification	Description
Cabinet	Innovatively designed shock proof cabinet with MRF Vapocure for scratch-free, glossy and durable finish
Motor	FHP Motors with double side sealed ball bearings
Suitable Traffic	Medium / High
Mounting	Wall Mounted
Operation	Fully Automatic
Hand Dry Time	<30 seconds
Noise Level	50 dB(A)
Motor Speed	2,800 RPM
Voltage	220V/50Hz
Rated Power	1700W
Current	7.7 A
Blowing Volume	160 m ³ /h
Air Speed	20m/s
Dimensions	305x305x152 mm