



**KARNATAKA ANTIBIOTICS &  
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF No.	KAPL/ME/013/1903
DATE	21-01-2026
DUE DATE	27-01-2026 (13.00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	MSB1107	COLUMN BEARING 5X 5 3/4X1/2" FOR 8 HEAD SLG. M/C	NOS	02

1. Please ensure that your offer reaches us on or before Due Date by courier OR Speed post OR you can also mail us to our email: purenp@kaplindia.com.
2. Please send your quotation mentioning KAPL item code or your quote will not be considered.

**NOTE: MINIMUM WARRANTY REQUIRED FOR ABOVE BEARING IS 06 MONTHS FROM THE DATE OF INSTALLATION.**

**OTHER TERMS:**

- |                                 |                  |
|---------------------------------|------------------|
| 1) F.O.R TERMS                  | : DOOR DELIVERY  |
| 2) GST %                        | : PLEASE SPECIFY |
| 3) PACKING & FORWARDING CHARGES | : NOT APPLICABLE |
| 4) CREDIT PERIOD                | : 30 DAYS        |
| 5) DELIVERY OFFERED             | : PLEASE SPECIFY |
| 6) ATTACHED PAGES               | : 01 PAGES       |

**NOTE: IF YOU ARE NOT PARTICIPATING IN THE TENDER PLEASE SEND REGRET IN MAIL.**

Thanking you,

Yours faithfully,  
For KARNATAKA ANTIBIOTICS  
& PHARMACEUTICALS LIMITED.

  
YUVARAJA M  
DEPUTY MANAGER PURCHASE DEPT

# ENGINEERING AND PROJECT DEPARTMENT

## MATERIAL REQUISITION

Very Very Urgent

Date : 15/10/25

g. Stores

PR # 2026 F01604

Through : HOD - E&P

Machine Name and Details :

8 Head Vial Cap Sealing M/c.  
DPP2.

SI. No. 1227

Section :

Following are the details :

Sl. No.	Item Code No.	Item Description	UOM	Qty.	Required Date	P.R. No. & Date	Remarks
1)	MSB1107	Column Bearing 5" X 5 3/4" X 1/2" (ID) (OD). (Thickness) For 8 Head SLG M/C	Nos	02	18/10/25		The material is required for DPP2's Vial Cap Sealing Machine (8 Head).