



**KARNATAKA ANTIBIOTICS &  
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF No:	KAPL/EL/012/2317
DATE	17.03.2026
DUE DATE	20.03.2026 (13:00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	EMCDP003	FORK LEVEL LIMIT SWITCH ETU-I-PHS6-PCPG11- PNP – DC3	NOS	04

**MAKE - SAPCON**

- 1) Please ensure that your offer reaches us on or before Due Date by courier OR speed post Or you can also mail us to our email: [puren@kaplindia.com](mailto:puren@kaplindia.com)
- 2) Please send your quotation mentioning item code

**OTHER TERMS:**

1. F.O.R TERMS : DOOR DELIVERY TO PEENYA FACTORY
2. GST % : PLEASE SPECIFY
3. PACKING & FORWARDING CHARGES : NOT APPLICABLE
4. CREDIT PERIOD : 30 DAYS
5. DELIVERY OFFERED :
6. ATTACHED PAGES : 01

NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.

Thanking you,

Yours faithfully,  
For KARNATAKA ANTIBIOTICS  
& PHARMACEUTICALS LIMITED

  
YUVARAJA M  
DEPUTY MANAGER PURCHASE DEPT

**ENGINEERING AND PROJECT DEPARTMENT**

**MATERIAL REQUISITION**

PR# 2026 F02440

Date: 11/03/2026

Engg. Stores

Through: HOD - E&P

*[Signature]*  
11/03/2026

Machine Name and Details: *Mult Column Distillation Plant*

Section: *SVP*

Sl. No.: 270

Following are the details :

Sl. No.	Item Code No.	Item Description	UOM	Qty.	Required Date	P.R. No. & Date	Remarks	
01.	EMCDP 002	<p>ELUXIR - T-UNI Compact Tubular Vibrating Fork Level Limit Switch</p> <p>Probe Mat: SS 316</p> <p>Power supply: 11 to 55Vdc</p> <p>Mounting: 1/2" Tr. clamp SS 316</p> <p>Probe length: 68mm</p> <p>Operating Temp: 150°C</p> <p>Model no: ETU-Σ-PH56-</p> <p>PCPG11 - PNP - DC3 - TC1056 - VF44 - HG - 15T - 0.68H</p> <p>Make: Sapcon Instruments Pvt. Ltd.</p>	NO	04				<p>Required for SVP Section MCDP plant generation System.</p>

JE / E/AM /DM/SM

*[Signature]*  
E [303]

*[Signature]*  
11/03/2026  
DM [SKS]