



**KARNATAKA ANTIBIOTICS &
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF. No.	KAPL/QAD/020/0054
DATE	13.04.2026
DUE DATE	20.04.2026 (13.00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	FDACC010	CLEAR HPLC VIAL WITH PRE SLIT SEPTA	NOS	25

Please ensure that your offer reaches us on or **before Due Date by courier OR Speed post or By hand in sealed cover only to below office address:**

M/s. Karnataka Antibiotics and Pharmaceuticals Limited Plot No.37, Arka The Business Centre ,NTTF Main Road, Peenya Industrial Area 2nd Phase ,Bengaluru-560058 ph. No.080-23571590

OTHER TERMS:

- | | |
|---------------------------------|-----------------------------------|
| 1. F.O.R TERMS | : DOOR DELIVERY TO PEENYA FACTORY |
| 2. GST % | : PLEASE SPECIFY |
| 3. PACKING & FORWARDING CHARGES | : NOT APPLICABLE |
| 4. CREDIT PERIOD | : 30 DAYS |
| 5. DELIVERY OFFERED | : |
| 6. ATTACHED PAGES | : 02 |

NOTE:

1).IF YOU ARE NOT PARTICIPATING IN THE TENDER PLEASE SEND A REGRET LETTER .

2).VENDER HAS TO QUOTE AS PER OUR TENDER IN YOUR COMPANY LETTER HEAD.

3).QUOTATION MUST BE SUBMITTED IN TWO SEALED COVERS (TECHNICAL&COMMERCIAL /PRICE BID)SEPARATELY AND IN ONE ENVELOP OR ELSE YOUR PROPOSAL WILL NOT BE CONSIDERED.

IF YOU NEED ANY CLARIFICATION , PLEASE CONTACT US.

Thanking you,

Yours faithfully,
For KARNATAKA ANTIBIOTICS
& PHARMACEUTICALS LIMITED


YUVARAJA M
DEPUTY MANAGER PURCHASE DEPT



**KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS
LIMITED, BENGALURU**

RESEARCH AND DEVELOPMENT (R&D)

User Requirement Specifications

Material Description: CLEAR HPLC VIAL WITH PRE SLIT SEPTA

URS Number: R&D/URS/001/0425/V1

1. Description and Quantity

Material Description	CLEAR HPLC VIAL WITH PRE SLIT SEPTA
Item Code	FDACC010
Quantity/Box	100

2. User Specifications

For Clear Glass with writing patch		
1.	Material of Construction	USP Type 1 Borosilicate Glass
2.	Glass Properties	Acid-resistant, Alkali resistant and High temperature resistant
3.	O.D. × H × I.D.	12 mm × 32 mm × 6 mm
4.	Fitting	Thread for 9 mm
5.	Colour	Clear
6.	Style	Screw Top
7.	Write-On Spot and Fill Lines	Yes
8.	Capacity	2 mL
9.	Volume (Metric) Usable	1.5 mL
10.	Tabulation	Neck with tabulation
11.	Closure Type	Screw
12.	Base Style	Flat Bottom
For Screw Cap with Bonded Pre Slit Septa		
13.	Material of Construction of Screw Cap	Bonded PTFE
14.	Cap Color	Blue
15.	Material of Construction of Pre Slit Septum	Silicone (Pre Slit)
16.	Septum Color	White/red
17.	Septa Layering	Bi-Layer
18.	Diameter	9.00 mm

MASTER COPY



**KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS
LIMITED, BENGALURU**

RESEARCH AND DEVELOPMENT (R&D)

User Requirement Specifications

Material Description: CLEAR HPLC VIAL WITH PRE SLIT SEPTA

URS Number: R&D/URS/001/0425/V1

19.	Height	6.2 mm
20.	Image for Illustration	<p>2mL Autosampler Vials with Screw Cap</p>
21.	Make Preference	<ol style="list-style-type: none">1. Waters2. YMC India3. Agilent4. Borosil5. Shimadzu6. Thermo Scientific7. PerkinElmer8. Rankem

3. Suggested Vendors