



**KARNATAKA ANTIBIOTICS &  
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF. No.	KAPL/CHE/018/0300
DATE	20/05/2026
DUE DATE	22/05/2026 TILL 13.00 HRS

Dear Sir,

Please submit your lowest and competitive offer in an SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF NO, DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc. for the below materials.

(Email: [rmtender@kaplindia.com](mailto:rmtender@kaplindia.com))

SL NO	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	RDACC005	WIDE MOUTH VOLUMETRIC FLASK AMBER-CLASS A-25 ML	NOS	30

**NOTE: URS COPY ATTACHED.**

**OTHER TERMS:**

1. F.O.R TERMS : DOOR DELIVERY PEENYA, BANGALORE
2. GST% : PLEASE SPECIFY
3. PACKING & FORWARDING CHARGES : NOT APPLICABLE
4. CREDIT PERIOD : 45 DAYS REQUESTED,
5. DELIVERY OFFERED

**INCASE YOU ARE UNABLE TO QUOTE PLEASE SEND REGRET LETTER**

**For KARNATAKA ANTIBIOTICS  
& PHARMACEUTICALS LIMITED**

**AUTHORISED SIGNATORY  
PURCHASE DEPT.**



**KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS  
LIMITED, BENGALURU**

**RESEARCH & DEVELOPMENT**

**User Requirement Specifications**

Material Description: Wide Mouth Volumetric Flask Amber- Class A-25 mL

URS Number: RD/URS/011/0526/V1

**1. Description**

<b>Material Description</b>	Wide Mouth Volumetric Flask Amber- Class A-25 mL
<b>Item Code</b>	RDACC005

**2. User Specifications**

<b>For Volumetric Flask Amber- Class A-25 mL</b>		
1.	Material of Construction	USP Type 1 Amber Color Borosilicate Glass
2.	Glass Properties	Acid-resistant, Alkali resistant and High temperature resistant
3.	Make	Borosil Scientific
4.	Product Code	<b>5653A09</b>
5.	Capacity	25 mL
6.	Tolerance limit ( $\pm$ mL)	0.06
7.	Flask Color	Amber
8.	Stopper Make	Made up of amber color glass only
9.	Stopper Size	14/23
10.	Base Style	Flat Bottom
11.	General Requirements	I. Complies with IS 815 / DIN - ISO 1042, Accuracy as per class A with ISI Mark II. Supplied with Interchangeable Solid Glass Stopper III. Each flask is marked with individual serial number and supplied with certificate of calibration traceable to National standards IV. Amber coating on exterior surfaces to facilitate use with light sensitive solutions

MASTER COPY



**KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS  
LIMITED, BENGALURU**

**RESEARCH & DEVELOPMENT**

**User Requirement Specifications**

Material Description: Wide Mouth Volumetric Flask Amber- Class A-25 mL

URS Number: RD/URS/011/0526/V1

- V. White enamel inscriptions
- VI. Specially designed wide mouth for testing bigger diameter tablet without making it in powder form
- VII. Calibrated & certified at 27°
- VIII. Stopper made up of amber color glass only

12. Image for Illustration

